

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S824	4	client adj request same server same select\$3 near(adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S825	4	client adj request same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S826	8	client near request same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S827	74	client same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S828	66	S827 not S826	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S829	64	adapter same (client near (program application)) same design\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S830	3	adapter same xml same rmi same html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:24
S831	30	client adj adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:25
S832	33	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:25

S833	9	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:25
S834	16	configur\$ near application with client near server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:25
S835	116	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:25
S836	33	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S837	9	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S838	11	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S839	6692	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S840	2	S839 and S835	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S841	27	(select\$3 determin\$5 configur\$5) with communication near(method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:26
S842	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:27
S843	10	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:27

S844	75	(select\$3 determin\$5 configur\$5) near(method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:27
S845	6210	(709/203).ccls.	USPAT	OR	ON	2009/11/20 09:28
S846	5	S845 and (client adj server) same adaptor	USPAT	OR	ON	2009/11/20 09:28
S847	19	S844 and (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:28
S848	10	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:28
S849	33	select\$4 near plurality near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:28
S850	32	S849 not S848	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:28
S851	12	(select\$5 choos\$5 determin\$5) near client near (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:29
S852	13	S845 and (client adj server) near communication near (adaptor connect\$4 bond coupling fastener junction adapter device link)	USPAT	OR	ON	2009/11/20 09:29
S853	620	(715/744).ccls.	USPAT	OR	ON	2009/11/20 09:29
S854	67	S853 and (client adj request)	USPAT	OR	ON	2009/11/20 09:29
S855	45	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:30
S856	18	S845 and (client adj server) with adapter	USPAT	OR	ON	2009/11/20 09:30
S857	10188	(709/203,206,230,322).ccls.	USPAT	OR	ON	2009/11/20 09:30
S858	333	S857 and adapter and (client near server) with communication	USPAT	OR	ON	2009/11/20 09:30

S859	6	S845 and (client adj server) same communication near (adapter)	USPAT	OR	ON	2009/11/20 09:30
S860	11	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:31
S861	10	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:31
S862	13	(common adj gateway adj interface) with (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:31
S863	116	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:31
S864	1	S857 and(client adj request) near adapter	USPAT	OR	ON	2009/11/20 09:31
S865	56	S845 and (client adj server) same adapter	USPAT	OR	ON	2009/11/20 09:32
S866	27	(select\$3 determin\$5 configur\$5) with communication near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:32
S867	4886	adapter near type	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:32
S868	8585	client near type	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:32
S869	86	S867 and S868	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:32
S870	80	S869 and select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:32
S871	75	(select\$3 determin\$5 configur\$5) near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:32
S872	10	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:32
S873	6	S872 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:32

S874	5	(common adj gateway adj interface) with (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:32
S875	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:33
S876	11	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:33
S877	45	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:33
S878	12	(select\$5 choos\$5 determin\$5) near client near (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:33
S879	6692	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S880	279	client adj (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S881	8	S879 and S880	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S882	7	client adj adapter with select\$4 with (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S883	23	adapter near client near server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S884	258	client adj (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34

S885	175	S884 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S886	79	S885 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S887	179	S884 not S886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:34
S888	79	S885 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:35
S889	620	(715/744).ccls.	USPAT	OR	ON	2009/11/20 09:35
S890	123	S889 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:35
S891	5	adapter near select\$4 near (method apparatus system) same (client server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:36
S892	67	adapter near select\$4 near (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:36
S893	62	S892 not S891	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:36
S894	10	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:37
S895	33	select\$4 near plurality near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:37

S896	32	S895 not S894	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:37
S897	10	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:38
S898	2	(client adj request) with (browser near version)	US-PGPUB; USPAT; DERWENT	OR	ON	2009/11/20 09:38
S899	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:39
S900	44	web near client with adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:39
S901	18	client near adapter with select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:39
S902	180	(719/311).ccls.	USPAT	OR	ON	2009/11/20 09:39
S903	47	S902 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:39
S904	47	S902 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S905	133	S902 not S904	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S906	2	S898 and (javascript html rmi xml)	US-PGPUB; USPAT; DERWENT	OR	ON	2009/11/20 09:40
S907	7	09/929477	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S908	7	S907 and (html rmi xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40

S909	497	S889 not S890	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S910	133	S902 not S904	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S911	10	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:40
S912	10	client near type same adapter same (select\$3 determin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:40
S913	21	client near request same ((select \$3 determin\$3) near adapter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:41
S914	30	client same ((select\$3 determin \$3) near adapter) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:41
S915	9	S914 not S913	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:41
S916	84	((select\$3 determin\$3) near adapter) same client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:41
S917	54	S916 not (S914 S913)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 09:41
S918	270	(719/311).ocls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:41
S919	90	S918 not S902	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/20 09:41

S920	34	client near request same server same select\$3 near (adapter converter translator gateway interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:41
S921	28	S920 not S826	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:41
S922	94	client near request same server same select\$3 near2 (adapter converter translator gateway interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:41
S923	66	S922 not S921	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:41
S924	4	"7003773".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:45
S925	1	S924 and classif\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:46
S926	1	10/658683	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:54
S927	1	S926 and criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 09:54
S928	0	adapter near type same request same rank\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:00
S929	0	adapter near type same request same rank\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:00
S931	21	adapter near type near4 request	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:00

S932	42	adapter\$1 same rank\$3 same priority	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:01
S933	2	"7421709".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:12
S934	2	"7080323".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:13
S935	2	"20030093470"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:21
S938	4	(specifi\$6) near adapter near type same request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:42
S939	24	adapter near type near4 request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:43
S940	3	S939 not S931	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:44
S942	2	(specifi\$6 list\$3 includ\$3 defin\$3) near2 adapter near type near4 request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:45
S945	15	(specifi\$6 list\$3 includ\$3 defin\$3) near adapter near request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 10:48
S946	7	("5794038" "5872973" "6085030" "6256678" "6651248" "6694506").PN. OR ("7003773").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/20 10:52
S947	67	(specifi\$6 list\$3 includ\$3 defin\$3) near adapter near2 request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 13:20

S949	66	(specifi\$6 list listing includ\$3 defin\$3) near adapter near2 request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 13:28
S950	14	(specifi\$6 list listing includ\$3 defin\$3) near adapter near request\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 13:30
S951	52	S949 not S950	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 13:31
S952	2	"7460470".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:16
S953	2	"20090129397"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:25
S954	2	"6336152".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:28
S955	2	"6003097".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:29
S956	2	11/084600	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:31
S957	2	"4454575".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:33
S958	2	"7237139".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:34
S959	2	"5889965".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:35

S960	2	"6535976".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:36
S961	2	"5634015".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/20 15:44
S962	14	("20020072391" "20030140124" "20040024962" "20040158651" "20050259632" "6272113" "6393483" "6400681" "6490632" "6512774" "6516352" "6560630" "6567377" "6590861").PN. OR ("7460470"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/20 16:04
S963	14	("20020072391" "20030140124" "20040024962" "20040158651" "20050259632" "6272113" "6393483" "6400681" "6490632" "6512774" "6516352" "6560630" "6567377" "6590861").PN. OR ("7460470"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/20 16:05

11 / 20 / 2009 8:50:03 PM

C:\ Documents and Settings\ kverdi\ My Documents\ EAST\ Workspaces\ 10658683.wsp